


ISSN 2224-025X

НАУКОВІ З АПИСКИ

Державного
природознавчого
музею

Випуск 35 / 2019



Національна академія наук України
Державний природознавчий музей

НАУКОВІ ЗАПИСКИ ДЕРЖАВНОГО ПРИРОДОЗНАВЧОГО МУЗЕЮ

Випуск 35

Львів 2019

УДК 57+58+591.5+502.7:069

Наукові записки Державного природознавчого музею. – Львів, 2019. – Вип. 35. – 184 с.

До 35-го випуску періодичного видання "Наукові записки Державного природознавчого музею" увійшли статті і короткі повідомлення з музеології, екології, зоології, ботаніки, ґрунтознавства, а також інформація про діяльність музею у 2018 році.

Для екологів, біологів, зоологів, ботаніків, ґрунтознавців, працівників музеїв природничого профілю, заповідників, національних природних парків та інших природоохоронних установ і організацій.

РЕДАКЦІЙНА КОЛЕГІЯ

Головний редактор

Капрусь І.Я. д-р біол. наук, проф.

Заступник головного редактора

Климишин О.С. д-р біол. наук, с.н.с.

Відповідальний секретар

Орлов О.Л. канд. біол. наук

Технічний редактор

Гураль Р.І. канд. біол. наук

Бокотей А.А. канд. біол. наук, с.н.с.; Войчишин В.К. канд. біол. наук, с.н.с.; Вінніцкі Т. PhD (Польща); Гнатів П.С. д-р біол. наук, проф.; Годунько Р.Й. канд. біол. наук, с.н.с.; Гураль-Сверлова Н.В. канд. біол. наук; Дзюбенко Н.В. канд. біол. наук; Малиновський А.К. д-р с.-г. наук; Радченко О.Г. д-р біол. наук, проф.; Різун В.Б. канд. біол. наук, с.н.с.; Середюк Г.В. канд. біол. наук; Сусуловський А.С. канд. біол. наук, с.н.с.; Тасенкевич Л.О. д-р біол. наук, проф.; Третяк П.Р. д-р біол. наук, проф.; Царик Й.В. д-р біол. наук, проф.; Чернобай Ю.М. д-р біол. наук, проф.; Шрубович Ю.Ю. канд. біол. наук; Яницький Т.П. канд. біол. наук

EDITORIAL BOARD

Kaprus I.Y. (*Editor-in-Chief*), Klymyshyn O.S. (*Associate Editor*), Orlov O.L. (*Managing Editor*), Gural R.I. (*Technical Editor*), Bokotey A.A., Voichyshyn V.K., Winnicki T., Gnativ P.S., Godunko R.J., Gural-Sverlova N.V., Dzubenko N.V., Malynovsky A.K., Radchenko O.G., Rizun V.B., Serediuk H.V., Susulovsky A.S., Tasenkevych L.O., Tretjak P.R., Tsaryk J.V., Chernobay Y.M., Shrubovych J.J., Yanitsky T.P.

Рекомендовано до друку вченою радою

Державного природознавчого музею

ISSN 2224-025X

© Наукові записки ДПМ, 2019

УДК 595.768.11:574.9

Zamoroka A.M.¹, Hleba V.M.²

**THE FIRST INTERCEPTION OF AGAPANTHIOLA LEUCASPIS
(COLEOPTERA: CERAMBYCIDAE) IN WESTERN UKRAINE AND REMARKS
ON ITS BIOGEOGRAPHY AND BIONOMY**

Agapanthiola leucaspis is a steppic the long horn beetle widely distributed from Pannonian Plane in Europe to Mongolian Plateau in Asia. *A. leucaspis* previously was known only from the Pontic Steppe Region in Ukraine, which includes both Crimea Peninsula and Ukrainian Mainland. Here we reported the first record of *A. leucaspis* in Western Ukraine. We assume that *A. leucaspis* expands its areal northward in the light of the current climatic changes. We analyzed global geographical range of *A. leucaspis* and estimated current borders of its areal. We also summarized data on *A. leucaspis* Bionomy including food plants, habitats and life circle.

Key words: *Agapanthiola leucaspis*, *Cerambycidae*, Ukraine.

Agapanthiola leucaspis (Steven, 1817) is one of the two species in genus *Agapanthiola* Ganglbauer, 1900. It was described in 1817 by Christian von Steven from the region of the Caucasus under the name *Saperda leucaspis* [39]. In the same issue on the page 190 Johan Wilhelm Dalman described a new species named *Saperda cyanella* which was the similar to Steven's *S. leucaspis* [39]. However, Dalman did not indicate the type locality. Year later, Johann Friedrich Eschscholtz described *Saperda pectoralis* from the Caucasus [13], which in fact was already known *S. leucaspis*. In the beginning of XX century Ludwig Ganglbauer insubstantial separated an East Siberian morphs of *A. leucaspis* as a new species *Agapanthia euterpe* [14]. For both species he introduced subgenus *Agapanthiola* [14].

A. leucaspis is a steppic the long horn beetle widely distributed from Pannonian Plane in Europe to Mongolian Plateau in Asia. In Ukraine this species was known only from the Pontic Steppe Region including Crimea Peninsula and Ukraine Mainland [5, 6, 51]. The last two decades it was noticed far north from its known areal in Kyiv Region and in Chernihiv Region [43]. In the current study we found *A. leucaspis* in Western Ukraine at the first time. We assume that *A. leucaspis* expanding its areal northward in the light of climatic changes as it was noticed for other *Cerambycidae* in the region [48].

Materials and methods

Methods. Insects were manually collected on forage plants on the edge of abandoned limestone quarry situated east from the village Muzhieve in Berehove district of Zakarpattia Region, Ukraine (48.184438, 22.711440). Locality is represented by scattered thermophilic shrubs within the secondary steppe vegetation on the southern slope of the hill.

Material. 1 male 05.V.2018, vlg. Muzhieve, Berehove district, Zakarpattia Region, Ukraine, col. Vasyl Hleba.

Diagnosis. Body dark cyan colored, 6-9 mm in length. The lower part of the eye is in three times shorter than lengths of the cheek. Scutellum and lateral sides of the thorax covered by dense decumbent white hairs.

Results and discussion

A. leucaspis previously was known only from the Pontic Steppe Region in Ukraine, which includes both Crimea Peninsula and Ukrainian Mainland. It is very common species in this region. *A. leucaspis* widely distributed along Black Sea coast from Danube Delta on the West to Crimea Peninsula and along coast of Sea of Azov on the East. It also spread deep into mainland to the middle basin of the Dnipro River and Donetsk Ridge [5, 6, 25, 51]. According to our own data and published sources [5, 6, 51], *A. leucaspis* is common in Crimea from Mediterranean scrub on the South Coast to the mountain steppes (yayla) up to 1,500 m above sea and to typical steppes on the North of the peninsula. It inhabits a wide range of grassy biotopes including patches of natural or seminatural vegetation as well as ruderal vegetation.

It was believed that in Western Ukraine, *A. leucaspis* is absent due to inappropriate climatic conditions [5, 49, 51]. This species was never found in the any of the macroregions of Western Ukraine e.g. Ukrainian Part of Pannonian Plane, East Carpathian Mountains, Western Podillya Eminence, Volyn Eminence, Western Polissya [35, 49, 50, 51]. It should be noted that Jan Roubal in his Catalogue of Coleoptera of Slovakia and Zakarpattya Ukraine pointed out on the presence of *A. leucaspis* only in South-Western Slovakia in Danube Valley [35].

Our record of *A. leucaspis* in Zakarpattya Region is the first in Western Ukraine (Fig. 2). The insect was spotted on the southern slope of hill situated East from village Muzhieve (Berehove District). The locality represents patches of xerophilous ruderal and secondary natural vegetation including grasses and shrubs on the different stages of succession in the abandoned limestone quarry (Fig. 1B).




Fig. 1. Adult male of *Agapanthiola leucaspis* on *Galium aparine* (A), and the habitat (B) where the species was spotted. Photo credits: (A) Vasyl Hleba, (B) Leonid Pokrytiuk.

The nature of the appearance of *A. leucaspis* in Zakarpattya Region of Ukraine is still opened. In the one hand, the several refugia of the natural steppe and xerophilous scrubland vegetation located in Tysa River Valley, where *A. leucaspis* could be preserved from warm and dry Atlantic Time (5-7 ka BP). In the other hand, the recent records of *A. leucaspis* far outside of its previously known areal (for instance, Bohemia in Czech Republic [34]; Kyiv Region

(unpublished data) and Chernihiv Region in Ukraine [43]) possibly indicate the areal expanding westward and northward due to climate changes. From this point of view our finding of *A. leucaspis* in Zakarpattia Region is a part of climate change event. Nevertheless, further studies are required.

Biogeography. Surprisingly, biogeographical position of *A. leucaspis* is still unclear. Multiple authors provide very different views on *A. leucaspis* biogeography. Zahaykevych considered that *A. leucaspis* belongs to Pontic species [51]. Karpiński with colleagues [22] and Kadyrbekov and Tleppaeva [20] suggested *A. leucaspis* is West Palearctic polyzonal species. Pil and Stanković argued that *A. leucaspis* belong to Ponto-Mediterranean species, distributed in Southeastern Europe and Southwestern Siberia [31]. Abdurakmanov indicated *A. leucaspis* as Euro-Siberian species [3] and Özdikmen similarly nested it within Sibero-European species [30]. Danilevskaya with colleagues noted that *A. leucaspis* is an ordinary Palearctic species [10]. Georgiev with colleagues classified *A. leucaspis* to Transpalearctic species [15]. Finally, Shapovalov suggested that *A. leucaspis* belong to Transeurasian polyzonal species [42]. Such uncertainty in *A. leucaspis* biogeographical view caused by poor data on its distribution. We conducted comprehensive analysis of available published sources for reconstruction of the current areal of *A. leucaspis* (Fig. 2A).

A. leucaspis is known from: **Armenia:** Armavir marz, Lori marz [6]; **Austria:** Burgenland [6, 12]; **Azerbaijan:** present, administrative region is not specified [11]; **Bosnia and Herzegovina:** present, administrative region is not specified [24]; **Bulgaria:** Blagoevgrad Province, Burgas Province, Gabrovo Province, Plovdiv Province, Sliven Province, Smolyan Province [9, 14, 15, 33]; **China:** North-West China, Inner Mongolia [47]; **Croatia:** present, administrative region is not specified [8]; **Czech Republic:** Středočeský kraj, Zlínský kraj [44, 45]; **Georgia:** present, administrative region is not specified [11]; **Greece:** widespread in continental part [32]; **Hungary:** Bács-Kiskun megye, Budapest, Pest megye, Borsod-Abaúj-Zemplén megye [17, 23, 26]; **Iran:** ?West Azerbaijan Province [6]; **Kazakhstan:** Almaty Region, East Kazakhstan Region, Jambyl Region, Kostanay Region [7, 19, 20, 22]; **Moldova:** present, administrative region is not specified [4]; **Mongolia:** West Mongolia, Mongolian Plateau, Selenge [27, 47]; **North Macedonia:** present, administrative region is not specified [24]; **Serbia:** Južnobački okrug, Sremski okrug [31]; **Slovakia:** Košický kraj, Nitriansky kraj [35]; **Slovenia:** ? possibly present [8]; **Romania:** Bucuresti, Judetul Constanța, Judetul Ilfov, Judetul Mures, Judetul Sibiu, Judetul Tulcea, Judetul Valcea [18, 40, 41]; **Russia:** Adygeya Republic, Altai Krai, Dagestan Republic, Irkutsk Oblast, Kalmykia Republic, Krasnodar Krai, ?Mordovia Republic, Orenburg oblast, Rostov Oblast, Saratov Oblast [1, 38, 42, 46, 52]; **Tajikistan:** Khatlon Viloyati, Republic Regions, Sughd Viloyati [21]; **Turkey:** Ankara, Corum, East Thrace [29, 30, 37]; **Ukraine:** Chernihiv Region, Cherkasy Region, Crimea Region, Donetsk Region, Zaporizhzhya Region, Zakarpattia Region (current study), Kharkiv Region, Kherson Region, Kyiv (unpublished data), Luhansk Region, Mykolayiv Region, Odesa Region, [6, 25, 28, 43].

The current areal of *A. leucaspis* coincides strictly with steppes spreading within Eurasia. The westernmost boundary of the areal restricted by Central European mountains: Dinaric Mountains, The Alps, Ore Mountains and The Carpathians. The northern limits of *A. leucaspis* spreading coincides with bounds of the steppe biome in Eastern Europe and North Asia. *A. leucaspis* reaches The South Ural Mountains and eastward as far as Baikalia. The eastern border of the areal is unclear. According to Xu and Neng *A. leucaspis* is widespread on Mongolian Plateau [47]. We assume that *A. leucaspis* distribution is bounded

by Greater Khingan Mountains on the East. The southern limit of its distribution is completely unknown. The species presents in Central Asian Mountains: Altai, Tien Shan, Pamir, which apparently are the nature border for *A. leucaspis* southward range. The species is known from south Tajikistan [21] and should be present in North Afghanistan where restricted by Hindu Kush Mountain Massif from South. The presence of *A. leucaspis* in North Iran is doubtful, however it is widespread in neighbor Armenia and Azerbaijan. *A. leucaspis* occupies the North of Turkey. Thus, we suggest that *A. leucaspis* is Euro-Siberian steppic species.




Figure 2. Areal of *Agapanthiola leucaspis* in Eurasia (A); continuous distribution of *A. leucaspis* in Ukraine and the recent findings beyond its boundary (B); location of the first record in Western Ukraine (C) marked by a star. The areas (A) shaded by lines indicate the regions with doubtful presence of *A. leucaspis*.

Bionomy. Bionomy of *A. leucaspis* is poorly known. It inhabits xerophilous biotopes as savannoid woodlands, scrublands, steppe and semi-desert grasslands. Sláma noted that *A. leucaspis* common for thermophilous natural steppe vegetation as well as pastures in Central Europe [44]. Our data shows that *A. leucaspis* is typical species for all types of xerothermophilous biotopes in Crimea (Ukraine) including mediterranean scrub, mountain steppes (yayla) and typical (true) steppes. According to Shapovalov the species inhabits cold northern steppes, mountain steppes, typical steppes and warm southern steppes in the South Ural Mountains (Russia) [42]. In Altai Mountains (Kazakhstan) *A. leucaspis* spreads dry scrub-steppes, wet floodplain meadows and mountain wildflower meadows [20].

A. leucaspis is polyphagous species whose larva undergoes develop in the stems at least of 23 herbaceous plants species preferring Asteraceae, rarely other families. These include

Asteraceae (*Achillea millefolium* L., *Achillea salicifolia* Besser., *Carduus* sp., *Cichorium* sp., *Cirsium setosum* (Wild.) M.B., *Echinops sphaerocephalus* L., *Erigeron* sp., *Hieracium* sp., *Matricaria* sp., *Picris* sp., *Sonchus oleraceus* L.), Apocynaceae (*Vincetoxicum hirundaria* Medik.), Campanulaceae (*Campanula sibirica* L.), Cannabaceae (*Cannabis sativa* L.), Caprifoliaceae (*Cephalaria transsylvanica* (L.) Schrad. ex Roem. & Schult., *Scabiosa ochroleuca* L.), Caryophyllaceae (*Silene multiflora* (Ehrh.) Pers.), Euphorbiaceae (*Euphorbia* sp.), Fabaceae (*Melilotus officinalis* L.), Lamiaceae (*Ballota nigra* L., *Salvia dumetorum* Andr. ex Besser), Plantaginaceae (*Veronica longifolia* L.), Rosaceae (*Potentilla sibirica* Th. Wolf) [2, 4, 10, 20, 23, 42, 44]. We found adult beetle of *A. leucaspis* on the stem of *Galium aparine* L. (fig. 1A). However, we have no reasons for assert that *G. aparine* is food plant for larva nor for imago.

A. leucaspis life circle duration is one year. Female lay one egg into previously made nick on the stem of the host plant. Larva emerges from the egg and starts actively feeding by the stem tissues gradually migrating to the root collar. It is unclear whether the larva or pupa is wintering. Adults appeared in May and active to June.

Conclusions

In summary, we reported the first interception of *A. leucaspis* on East margin of Pannonian Plane in Western Ukraine. We assume that appearance of *A. leucaspis* in the region is the results of its areal expanding due to the recent climate changes. We also clarify the biogeographical position and bionomical features of *A. leucaspis*.

References

1. Abdurakhmanov S.G. The longhorn beetles of Dagestan Republic (Coleoptera, Cerambycidae) (species composition and geographical distribution) // The South of Russia: ecology, development. – 2012. – 3. – pp. 20-34. [in Rus.]
2. Abdurakhmanov S.G. The ecological groups of the longhorn beetles of Dagestan Republic // The South of Russia: ecology, development. – 2013a. – 1. – pp. 38-41. [in Rus.]
3. Abdurakhmanov S.G. Zoogeographical features of the longhorn beetles of Dagestan Republic // The South of Russia: ecology, development. – 2013b. – 1. – pp. 41-52. [in Rus.]
4. Bacal S., Munteanu N., Toderas I. Checklist of beetles (Insecta: Coleoptera) of the Republic of Moldova // Brukenenthal. Acta Musei. – 2013. – VIII, 3. – pp. 415-450.
5. Bartenev A.F. Review of longhorned beetles (Coleoptera, Cerambycidae) of Ukraine // Newsletter of Kharkiv Entomological Society. – 2003. – 11. – pp. 24-43 [in Rus.].
6. Bartenev A.F. The longhorn beetles of Eastern Ukraine and Crimea. – Kharkiv: V.N. Karasin Kharkiv National University Press, 2009. – 418 p. [in Rus.]
7. Bragina T.M., Muarova A.T. Materials to the longhorn beetles (Coleoptera: Cerambycidae) fauna of Kostanay Region // Proceedings of Kostanay State Pedagogic Institute. – 2016. – 2, 42. – pp. 119-124. [in Rus.]
8. Brelih S., Drovenik B., Pirnat A. Material for the Beetle Fauna (Coleoptera) of Slovenia 2nd contribution: Polyphaga: Chrysomeloidea (Phytophaga): Cerambycidae // Scopolia. – 2006. – 58. – pp. 1-442.
9. Bringmann H.-D. Die Agapanthia-Arten Bulgariens (Col., Cerambycidae) // Entomologische Nachrichten und Berichte. – 1995. – 39. – pp. 67-71.
10. Danilevskaya G.B., Danilevsky M.L., Hadulla K., Shapovalov A.M., Yokoi Ya. Cerambycidae collected in North-East Kazakhstan by an international collecting trip 2005 (Coleoptera) // Entomologische Zeitschrift. Stuttgart. – 2009. – 119, 4. – pp. 171-178.

11. Danilevsky M.L., Miroshnikov A.I. The longhorn beetles (Coleoptera, Cerambycidae) of Caucasus. Key to identification. – Krasnodar: Kuban agricultural Institute Press, 1985. – 419 p. [in Rus.]
12. Die Käfer Europas: Agapanthia [<http://coleonet.de/coleo/texte/agapanthia.htm>].
13. Eschscholtz J.F. Decades tres Eleutheratorum novorum // Mémoires de l'Académie Impériale des Sciences de Saint-Petersbourg. – 1818. – 6, 5. – pp. 451-484.
14. Ganglbauer L. Eine neue sibirische Agapanthia // Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien. – 1900. – 50. – pp. 139-140.
15. Georgiev G., Gradinarov D., Gjonov I., Sakalian VA check list and areography of longhorn beetles (Coleoptera: Cerambycidae) in Strandzha Mountain, Bulgaria and Turkey // Silva Balcanica. – 2018. – 19, 1. – pp. 89-116.
16. Georgiev G., Migliaccio E., Doychev D. Longhorn beetles (Coleoptera: Cerambycidae) in the Western Rhodopes (Bulgaria). In Beron P. (ed.). Biodiversity of Bulgaria. 3. Biodiversity of Western Rhodopes (Bulgaria and Greece). – Sofia: I. Pensoft & Nat. Mus. Natur. Hist., 2006. – pp. 347-360.
17. Hegyessy G., Kovacs T. A Zempleni-hegyseg cincerei (Coleoptera: Cerambycidae) // Folia historico naturalia musei Matraensis. – 1997. – 22. – pp. 223-245.
18. Istrate P. An ecological survey of the Cerambycidae (Coleoptera) in the geographic basin of the Tarnava Mica valley (Transylvania, Romania) // Transylv. Rev. Syst. Ecol. Res. – 2005. – 2. – pp. 99-108.
19. Kadyrbekov R.Kh., Tleppeva A.M. To the fauna of the longhorn beetles (Coleoptera, Cerambycidae) of Karatau Reserve (South Kazakhstan) // Conference paper: The problems of biodiversity conservations and using of biological resources. – 2015. – pp. 137-140. [in Rus.]
20. Kadyrbekov R.Kh., Tleppeva A.M. A review of the longhorn beetles (Coleoptera, Cerambycidae) of "Zhongar-Alatau" state national natural park, Kazakhstan // Euroasian Entomological Journal – 2016. – 15, 3. – pp. 288-294. [in Rus.]
21. Kadyrov A.Kh., Karpiński L., Szczepański W.T., Taszakowski A., Walczak M. New data on distribution, biology, and ecology of longhorn beetles from the area of west Tajikistan (Coleoptera, Cerambycidae) // ZooKeys. – 2016. – 606. – pp. 41-64.
22. Karpinski L., Szczepanski W.T., Plewa R., Walczak M., Hilszczanski J., Kruszelnicki L., Łoś K., Jaworski T., Bidas M., Tarwacki G. New data on the distribution, biology and ecology of the longhorn beetles from the area of South and East Kazakhstan (Coleoptera, Cerambycidae) // ZooKeys. – 2018. – 805. – pp. 59-126.
23. Kovacs T. Magyarországi cincerek tapnovenyek lelohelyadatai II. (Coleoptera: Cerambycidae) // Folia historico naturalia musei Matraensis. – 1997. – 22. – pp. 247-255.
24. Löbl I. and Smetana A. Catalogue of Palaearctic Coleoptera, Volume 6. Chrysomeloidea Denmark, Stenstrup: Apollo Books. – 2010. – 924 p.
25. Martynov V. V., Pisarenko T. A. A review of the fauna and ecology of the long-horned beetles (Coleoptera: Cerambycidae) of Southeast Ukraine // The Kharkov Entomological Society Gazette. – 2003. – XI, 1-2. – pp. 44-69. [in Rus.]
26. Merkl O. Cerambycidae of the Kiskunsag National Park (Coleoptera). In The Fauna of the Kiskunsag National Park, 1987. – pp. 221-226.
27. Namhaidorzh B. New data on longicorn beetles (Coleoptera, Cerambycidae) of the Mongolian People's Republic. In: Insects of Mongolia. 8. – Leningrad: "Nauka", 1982. – 294-295 pp. [in Rus.]
28. Okhrimenko S.H., Sheleha O.R., Kozodavov S.V., Busel V.A., Petrochenko V.I., Zhakov O.V., Mulenko M.A., Karpenko H.O., Vasylenko S.V., Holovakha R.V. Nature of Khortytysya Island. – Zaporizhzhya: National Reserve "Khortytysya", 2016. – 2. – 200 p. [in Ukr.]
29. Özdikmen H. The longicorn beetles fauna of European Turkey: A revision to the list of Özdikmen, 2008 (Coleoptera: Cerambycidae) // Munis Entomology & Zoology. – 2010. – 5. – pp. 924-944.

30. Özdikmen H. Turkish Agapanthiini Mulsant, 1839 with identification keys (Coleoptera: Lamiinae) // *Munis Entomology & Zoology*. – 2013. – 8, 1. – pp. 9-40.
31. Pil N., Stankovic M. Cerambycidae (Coleoptera) of the Zasavica special nature reserve (Serbia) // *Acta entomologica serbica*. – 2006. – 11, 1/2. – pp. 33-43.
32. Plewa R., Łos K., Gorski P. New data on the distribution, biology and behavior of some longhorn beetles (Coleoptera, Cerambycidae) from Greece // *Elateridarium*. – 2011. – 5. – pp. 232-247.
33. Rapuzzi P., Georgiev G. Contribution to the Knowledge of Species Composition and Regional Distribution of Longhorn Beetles (Coleoptera: Cerambycidae) in Bulgaria // *Acta Zool. Bulg.* – 2007. – 59, 3. – pp. 253-266.
34. Rejzek, M.; Janu, T. *Agapanthiola leucaspis* (Steven, 1817) (Coleoptera: Cerambycidae: Lamiinae): A New Species for Bohemia. Faunistic Records from the Czech Republic // *Klapalekiana*. – 2001. – 37, 3-4. – pp. 178.
35. Roubal J. Katalog Coleopter (brouku) Slovenska a Podkarpatske Russi. Dil II. – Bratislava, 1936. – 435 s.
36. Ruchin A.B., Egorov L.V. Fauna of longicorn beetles (Coleoptera: Cerambycidae) of Mordovia // *Russian Entomol. J.* – 2018. – 27, 2. – pp. 161-177.
37. Sabanoglu B., Sert O. Faunistic Composition, Ecological Properties, and Zoogeographical Composition of the Subfamilies Prioninae, Lepturinae, Cerambycinae and Lamiinae (Coleoptera: Cerambycidae) of the Central Anatolian Region of Turkey // *TAES*. – 2015. – 141. – pp. 439-462.
38. Sazhnev A.S., Rodnev N.V. On the Coleoptera fauna of Saratov District, Saratov Region. – 2011. [<https://www.zin.ru/Animalia/coleoptera/rus/sarasar1.htm>] [in Rus.]
39. Schönherr C.J. Appendix ad C. J. Schönherr *Synonymiam Insectorum*. *Descriptiones Novarum Specierum Insectorum Scaris* // *Lewerentziana*. – 1817. – 1, 3. – pp. 1-266.
40. Serafim R. The catalogue of the palaearctic species of Lamiinae (Coleoptera: Cerambycidae) from the patrimony of "Grigore Antipa" National Museum of Natural History (Bucharest) (Part V) // *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"*. – 2010. – LIII. – pp. 235-272.
41. Serafim R., Maican S. Catalogue of Cerambycidae, Megalopodidae and Chrysomelidae (Coleoptera: Chrysomeloidea) recently entered in the patrimony of "Grigore Antipa" National Museum of Natural History (Bucharest). "Igor Ceianu" collection // *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"*. – 2011. – LIV, 2. – pp. 425-460.
42. Shapovalov A.M. The longhorn beetles (Coleoptera, Cerambycidae) of Orenburg Region: fauna, distribution, Bionomy // *Proceedings of the Orenburg branch of Russian Entomological Society*. – 2012. – 3. – pp. 1-224. [in Rus.]
43. Sheshurak P.N., Shevchenko V.L., Nazarov N.V., Pavlyuk V.N. Endangered longhorn beetles (Coleoptera: Cerambycidae) from Chernihiv region (Ukraine) // *Ukrainian Entomological Magazine*. – 2011. – 2, 3. – pp. 53-63. [in Rus.]
44. Sláma M. E. F. *Tesaříkovití – Cerambycidae České republiky a Slovenské republiky* (Brouci - Coleoptera). – Praha, 1998. – 380 p.
45. Vitner J., Farkas J. Activities of the Czech Entomological Society in the case "Testing areas of the Skoda Auto company: proposed construction of a car-testing polygone in the former Military Training Area of Mladá (central Bohemia, Czech Republic)" // *Klapalekiana*. – 2002. – 38. – pp. 123-162.
46. Volynkin A.V., Trilikauskas L.A., Baghirov R.T-O., Burmistrov M.V., Byvaltsev A.M., Vasilenko S.V., Vishnevskaya M.S., Danilov Yu.N., Dudko A.Yu., Dudko R.Yu., Knyshev, A.A., Kosova O.V., Kostrov D.V., Krugova T.M., Kuznetsova R.O., Kuzmenkin D.V., Legalov A.A., Lvovsky A.L., Namyatova A.A., Nedoshivina S.V., Perunov Yu.E., Reschikov A.V., Sinev S.Yu., Solovarov V.V., Tyumaseva Z.I., Udalov I.A., Ustyuzhanin P.Ya., Filimonov R.V., Tshernyshev S.E., Tshesnokova S.V., Sheikin S.D., Shcherbakov M.V., Yanygina L.V.

- Invertebrates Of the Tigirek strict nature reserve (an annotated check-list). In Biota of the Tigirek Strict Reserve // Proceedings of the Tigirek State Natural Reserve. Barnaul. – 2011. – 4. – 235 p.
47. Xu Peien & Neng Naizhaibu Coloured Illustrations of Longhorned Beetles in Mongolian Plateau. – Chinese Agricultural University Press, 2010 – 150 p.
 48. Zamoroka A.M. The effect of global climatic changes on invasion of new animal species in Carpathian-Podillya region of Ukraine – the estimation of the possible ecological and economic consequences // Scientific Seminar "A new perspective of scientific researches in connection with the reconstruction of the Observatory on the Mt. Pip Ivan", Ivano-Frankivsk – Verkhovyna. – 2017. – pp. 7-8.
 49. Zamoroka A.M. The longhorn beetles (Coleoptera: Cerambycidae) of the Eastern Carpathian Mountains in Ukraine // Munis Entomology & Zoology. – 2018. – 13, 2. – pp. 655-691.
 50. Zamoroka, A.M., Panin, R. Yu., Kapelukh, Y. I. & Podobivskiy, S. S. The catalogue of the longhorn beetles (Coleoptera: Cerambycidae) of western Podillya, Ukraine // Munis Entomology & Zoology. – 2012. – 7, 2. – pp. 1145-1177.
 51. Zahaykevych, I.K. Taxonomy and ecology of longhorned beetles. – Kyiv, 1991. – 420 p.
 52. Zamotajlov A.S., Nikitsky N.B. Coleopterous insects (Insecta, Coleoptera) of Republic of Adygheya (annotated catalogue of species) (Fauna conspecta of Adygheya. No 1). – Maykop: Adyghei State University Publishers, 2010. – 404 p.

¹ Vasyl Stefanyk Precarpathian National University, Department of Biology and Ecology, Ivano-Frankivsk, Ukraine

e-mail: andrii.zamoroka@pu.if.ua

² Ukrainian Society for the Protection of Birds, Koroleve, Ukraine

e-mail: basileus5@i.ua

Заморока А.М., Глеба В.М.

Перша реєстрація *Agapanthiola leucaspis* (Coleoptera: Cerambycidae) на заході України та коментарі щодо біогеографії та біономії виду

Agapanthiola leucaspis – це степовий вид жуків-вусачів, широко розповсюджений від Паннонської рівнини у Європі до Монгольського плато в Азії. В Україні *A. leucaspis* була відома лише зі степової зони Причорномор'я та Криму. У цьому дослідженні ми повідомляємо про першу знахідку виду в Західній Україні, на території Закарпатської низовини. Припускаємо, що нова знахідка є свідченням розширення ареалу *A. leucaspis* на північ у канві сучасних кліматичних змін. Ми також здійснили аналіз розповсюдження *A. leucaspis* в Європі та встановили особливості біономії виду.

Ключові слова: *Agapanthiola leucaspis*, Cerambycidae, Україна.

ЗМІСТ	CONTENTS	Стор.
Музеологія * Museology		
Чернобай Ю.М. До історії методології цілісності та парадигми природничо-соціальної коеволюції		3
• To the history of the integrity and paradigm methodology of natural and social coevolution		
Гураль Р.І., Гураль-Сверлова Н.В. Історія комплектування та наукового опрацювання матеріалів малакологічного фонду Державного природознавчого музею НАН України		15
• The history of the formation and scientific processing of the malakological collection of the State Museum of Natural History of the NAS of Ukraine		
Очеретна К.В. Крестофагіди (Coleoptera) у колекціях України: види, зразки та колектори		21
• Cryptophagidae (Coleoptera) in the collections of Ukraine: Species, Specimens, and Collectors		
Екологія * Ecology		
Гураль Р.І. Просторовий розподіл прісноводної малакофауни України		37
• Spatial distribution of freshwater molluscs fauna of Ukraine		
Гураль-Сверлова Н.В., Савчук С.П. Антропохорні види наземних молюсків на заході України		49
• Anthropochorous species of land molluscs in Western Ukraine		
Гуштан К.В. Особливості біотопної диференціації спектрів екоморф угруповань амфібіотичних комах (Insecta: Ephemeroptera, Plecoptera, Odonata) гідроекосистем Українських Карпат		59
• Features of biotopic differentiation of ecomorphs spectra of amphibiotic insects (Insecta: Ephemeroptera, Plecoptera, Odonata) communities in hydroecosystems of Ukrainian Carpathians		
Гуштан Г.Г. Панцирні кліщі (Acari: Oribatida) гігрофітних лук Закарпатської низовини		67
• Oribatid mites (Acari: Oribatida) of hygrophyte grasslands on Transcarpathian Lowland		
Гоблик К.М., Орлов О.Л., Рагуліна М.Є. Капрусь І.Я. Умови існування і структура угруповань колембол (Collembola) у лучних біотопах Закарпатської низовини		75
• Living conditions and community structure of Collembola on Transcarpathian lowland meadow habitats		
Бешлей С.В., Соханьчак Р.Р., Баранов В.І., Карпінєць Л.І. Підбір стійких рослин для біотичного етапу рекультивациі відвалу центральної збагачувальної фабрики "Червоноградська" (Львівська обл.)		83
• Selection of resistant plants for the biotic stage of the recultivation of the dump of the Central concentrating mill "Chervonogradska" (Lviv region)		

Проць Б.Г., Покинйчереда В.Ф., Беркела Ю.Ю. Підсумок другого етапу номінування букових пралісів і старовікових лісів України до Всесвітньої природної спадщини ЮНЕСКО	89
--	----

- The result of the second stage of nomination of beech virgin and old-growth forests of Ukraine to the World Natural Heritage of UNESCO

Зоологія * Zoology

Мерза С.П., Капрусь І.Я. Фауна й населення колембол агроценозів Малого Полісся	97
---	----

- The fauna and population of Collembola in the Male Polissia agrocenoses

Заморока А.М., Глеба В.М. Перша реєстрація <i>Agapanthiola leucaspis</i> (Coleoptera: Cerambycidae) на заході України та коментарі щодо біогеографії та біономії виду	111
--	-----

- The first interception of *Agapanthiola leucaspis* (Coleoptera: Cerambycidae) in Western Ukraine and remarks on its biogeography and bionomy

Середюк Г.В. Сітчастокрилі (Insecta, Neuroptera) Галицького національного природного парку	119
---	-----

- Insecta Neuroptera of the Galician National Park

Ботаніка * Botany

Малиновський А.К. Проблемно-аналітична база даних "Інвазійні види": структура, функції і перспективи застосування	125
--	-----

- Problem-analytical database of "Invasive species": structure, functions and perspectives of application

Глеб Р.Ю. Географічна й таксономічна структура високогірної флори гори Піп Іван Мармароський	143
---	-----

- Geographic and taxonomic structure of the mountainous flora of Pop Ivan Maramureş

Грунтознавство * Pedology

Орлов О.Л. Концепція Червоної книги ґрунтів Українських Карпат	151
---	-----

- Concept of soil Red book of the Ukrainian Carpathians

Короткі повідомлення * The brief messages

Климишин О.С. Історія видавничої діяльності Державного природознавчого музею НАН України	157
---	-----

- History of the publishing activity of the State Natural History Museum of the NAS of Ukraine

Бедернічек Т.Ю., Партика Т.В., Хосцький П.Б. Вміст сульфуру у ґрунтах островів Скуа і Галіндез (Прибережна Антарктика)	161
---	-----

- Sulfur content in the soils of Skua and Galindez Islands (Maritime Antarctic)

Ювілейні дати * Anniversaries

До 60-ліття від дня народження професора П.С. Гнатіва	165
---	-----

Хроніка * Current issues

<i>Середюк Г.В.</i> Про діяльність Державного природознавчого музею НАН України у 2018 році	171
<i>Бокотей А.А., Дзюбенко Н.В.</i> VII Міжнародна конференція по чорному лелеці <i>Ciconia nigra</i> (Національний парк Доньяна, Іспанія)	173
<i>Середюк Г.В., Коновалова І.Б.</i> XIII Львівська ентомологічна школа "Актуальні проблеми вивчення ентомофауни Волинського Полісся"	175
<i>Дзюбенко Н.В.</i> Результати виконання проекту "Природничий музей: від теорії еволюції життя до практики живого музею"	177
<i>Савицька А.Г.</i> Проект "Школа льодовикового періоду: освітня музейна програма для дітей з інвалідністю"	179

Правила для авторів * Rules for authors	180
--	-----

Національна академія наук України
Державний природознавчий музей

Наукове видання

НАУКОВІ ЗАПИСКИ ДЕРЖАВНОГО ПРИРОДОЗНАВЧОГО МУЗЕЮ

Випуск 35

PROCEEDINGS OF THE STATE NATURAL HISTORY MUSEUM

Issue 35

Українською та англійською мовами



Головний редактор І.Я. Капрусь

Комп'ютерний дизайн і верстка О.С. Климишин, Т.М. Щербаченко

Адреса редакції:

79008 Львів, вул. Театральна, 18

Державний природознавчий музей НАН України

телефон / факс: (032) 235-69-17

e-mail: editorship@smnh.org

<http://nzdpm.smnh.org>

Формат 70×100/16. Обл.-вид. арк. 19,1. Наклад 100 прим.

Виготовлення оригінал-макета здійснено в Лабораторії природничої музеології

Державного природознавчого музею НАН України.

Друк ТзОВ «Простір М». 79000 Львів, вул. Чайковського, 8.